


Coordinates			
Mark	X	Y	R
GM	0	0	—
DH1	-3975	1500	—
DH2	3550	-850	—
a1	1031	2000	2500
a2	-1031	2000	2500
a3	-1031	-2000	2500
a4	1031	-2000	2500
b1	996	4500	200
b2	650	4700	200
b3	-650	4700	200
b4	-996	4500	200

△7		Quantity	
△6		Unit	1/1000 mm
△5		Scale	10:1
△4		Date	
△3		Drawn	
△2		Checked	T. Hiruta
△1		Approved	
Material			
Heat Treatment			
Hardness			
Plating			
General Tolerances			
Dimensions			
Angles			
Cal. No. :		4S20	
Parts :			
Name :		Frame for Case	
Drawing No. :		4S20C000	

CITIZEN WATCH CO., LTD.
 TOKYO, JAPAN

This drawing is provisional and subject to our reconfirmation and/or revision without notice.



CENTER


DH1 (DH2)

*** T I P W 4S20-02A (01) ***	7	Quantity		Cal. No. : 4S20-02A
	6	Unit	1/1000 mm	
	5	Scale	10:1	Parts:
	4	Date		
	3	Drawn		
	2	Checked	T. Hiruta	Name:
	1	Approved		Indications for Dial
Material			Drawing No. : 4S20D000	
Heat Treatment		General Tolerances		CITIZEN WATCH CO.,LTD. TOKYO, JAPAN
Hardness		Dimensions		
Plating		Angles		

00-06-14 (2100 1121)

This drawing is provisional and subject to our reconfirmation and/or revision without notice.

065-398 (01) *** (2100 1121) 00-06-22



7			Quantity		Cal. No. :
6			Unit	1/1000 mm	Parts:
5			Scale	20:1	
4			Date		Name:
3			Drawn		
2			Checked	T. Hiruta	Drawing No. : 3980S000
1			Approved		
Material			General Tolerances		CITIZEN WATCH CO.,LTD. TOKYO, JAPAN
Heat Treatment			Dimensions		
Hardness			Angles		
Plating					